

CLOTIN FORTE

IVERMECTIN AND CLORSULON INJECTION U.S.P. (VET.)



COMPOSITION :

Each ml contains :

Ivermectin	B.P.	10 mg
Clorsulon	USP	100 mg
Benzyl alcohol	B.P.	1.5% v/v
Propylene glycol	B.P.	q.s.

ROUTE : For Subcutaneous Use only.

INDICATIONS :

For the treatment and control of Gastrointestinal immature and adult roundworms.

Lung Worms : Both adult and Fourth – Stage larvae of Dictyocaulus viviparus.

Liver Flukes : Immature and adult Fasciola hepatica & Fasciola gigantica.

Eye Worm : Thelazia Spp.

Ectoparasites (Dermatobia hominis, Psoroptes ovis) Including Sucking Lice, Ticks & Mites.

CONTRAINDICATION :

Do not use in lactating animals or in pregnant heifers within 60 days of calving. This product is not for Intravenous or Intramuscular use.

DOSAGE AND ADMINISTRATION :

For Subcutaneous administration.

General : 1 ml per 50 kg body weight

Cattle : 1 ml per 50 kg body weight

Sheep & Goats : 0.5 ml per 25 kg body weight.

WITHDRAWAL PERIOD :

For Meat and offals : 66 days.

PACK SIZE :

100 ml Vial.

Manufactured in India by :

IPPL
Intracin
Pharmaceuticals Pvt. Ltd.
C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.

